



TRADE PRICE LIST 2017 | 2018

All Prices are Ex-Works UAE

ADDRESS :

Innov8 Products FZC
Area Q4 - Unit 030 Saif Zone, Sharjah,
United Arab Emirates
Web : www.blindtex.com
Email: sales@blindtex.com

HELP DESK – CUSTOMER SERVICE

Tel: +971 6 557 8051

HOW TO ORDER ONLINE

Ordering is simple but training can be given if required.
Our Representative will provide you with a unique username and password.

DELIVERY TIMES UAE

Orders will be ready for dispatch from our factory as follows:

- Next Day – If ordered online before 12pm noon
- 2 Days – If ordered by email
- 3 Days – If ordered by any other method

NOTE: For any orders with over 20 blinds add 1 Day delivery for every additional 20 blinds.

OUTSIDE UAE: Delivery will be pre agreed with you by our representative.

HOW TO CONTACT US

If you need to contact us regarding queries on your orders our preferred contact method is email. In order to serve you efficiently, please include in the subject line of the email the unique BD number which is issued to you when you place your order.

PRODUCT WARRANTY

All our products carry a 1 year manufacturers warranty.

The Signature Collection benefits from Lifetime Warranty.

(Full Terms and Conditions available upon request)

Should any blind prove to be defective during this period, please contact our sales office by email quoting your unique BD Number.

We will repair or replace the blind for you providing that :

1. The goods have not been taken apart or altered in any way.
2. The goods have been used purely as a sunblind product.
3. The goods have been treated in a fair and reasonable manner.
4. The manufacturers label has not been removed.
5. Fabrics can fade over time due to excessive exposure to direct sunlight, this is a natural process and will not be covered under our warranty.

CANCELLATION / MODIFICATION TO ORDERS

For modifications to or cancellation of orders please contact our sales office by email quoting your unique BD Number.

A unique confirmation number will be allocated to you, which should be retained if a future dispute arises. Cancellation of products that have been either part or completely manufactured will incur a charge as per our Terms and Conditions of sale.

DAMAGED GOODS

Always check that you have received the correct number of parcels, and that the contents are undamaged before signing the delivery note. If you should subsequently advise a shortage or damage neither the carrier nor Innov8 can accept any responsibility. In the event of any parcel being damaged, please email our sales office immediately. Claims for damages, shortages or errors must be notified to the company by email within 48 hours of delivery.

RETURN OF GOODS

Please contact our Sales Office by email, who will arrange collection. Please ensure suitable packaging is used to avoid damage in transit. Goods not adequately packed, and subsequently damaged will be chargeable to the customer. No goods should be returned without prior agreement.

Please label the goods clearly with our Product Returns Label which is available for download in the Trade Dealer Area of our website. If within the UAE our driver can assist you on collection of the goods.

NOTE: We will not accept any returns without our Returns Label attached to the goods.

ONLINE DEALER LOG IN AREA

Use your unique username and password to log into your personalised dealer area. There you can access and download our product specifications, price lists, images and other trade information.

INSTALLATION SERVICE CHARGES FOR DUBAI, SHARJAH AND AJMAN

For manual blinds a minimum charge of 500dhs will apply upto 10 blinds.
 Every additional blind will be charged at 50dhs each.
 For motorised blinds a minimum charge of 500dhs will apply upto 5 blinds.
 Every additional blind will be charged at 100dhs each.
 For any other area in the UAE a minimum charge of 1,000dhs will apply.

PAYMENT TERMS

Payment terms will be agreed between you and our representative.
 NOTE: We regret we cannot leave any goods with you without receiving payment in full, if your terms are "CASH ON DELIVERY".

REPAIR CHARGES

Any out of warranty repairs will be delivered to you within 48 hours of receipt of the goods at our factory.
 Minimum Repair Charge is 50dhs
 Repair charges are based on an hourly rate of 50dhs plus any additional components cost.
 Additional charges may be levied for collection of chargeable repairs or repair requests received outside of UAE, Quotation available upon request.



Roller blind



Romex blind

Blind - Prices		Fabric Width	Price Band	Min. Chargeable: 1.5 sq/m
Book Name	Design			Price - AED (Per sq/m)
Castelli - Duplex	Abril	2800	B	219
Castelli - Duplex	Alma	2750	B	219
Castelli - Duplex	Frida	2800	A	184
Castelli - Duplex	Jalyn	2800	E	276
Castelli - Duplex	Lexie	2800	D	265
Castelli - Duplex	Nyla	2800	C	242
Castelli - Duplex	Reagan	2800	D	265
Castelli - Duplex	Saloni	2800	F	299

Blind - Prices		Fabric Width	Price Band	Min. Chargeable: 1.5 sq/m
Book Name	Design			Price - AED (Per sq/m)
Axel-s3 - Duplex	596001 - 596008	2800	3	207
Axel-s3 - Duplex	596009 - 596012	2800	1	161
Axel-s3 - Duplex	596013 - 596016	2750	2	173
Axel-s3 - Duplex	596017 - 596021	2400	4	230
Axel-s3 - Duplex	596022 - 596027	2400/2800	4	230
Axel-s3 - Duplex	596028 - 596034	2800	3	207
Axel-s3 - Duplex	596035 - 596040	2800	5	242



Prices are based on Matching Cassette fabric
Price for contrast Cassette Fabric will be AED 20 per mtr



Duplex blind



Price Band	Roller	Roller with Cassette	Panel	Panel with Cassette	Vertical	Vertical with Cassette	Vertical Vanes Only	Romex with Cassette
	Min Chargeable 1.5 sq/m	Min Chargeable 1.5 sq/m	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1.5 sq/m
	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m
1	55	100	120	165	55	100	25	155
2	60	105	130	175	60	105	30	160
4	65	110	135	180	65	110	35	165
7	70	115	140	185	70	115	40	170

Description	Minimum	Unit	Price (AED)
Gemstone (Available in Roller, Romex, Panel, and Roman)	1	Mtr	100



Panel blind



Vertical blind



Price Band	Roller	Roller with Cassette	Panel	Panel with Cassette	Vertical	Vertical with Cassette	Vertical Vanes Only	Romex with Cassette
	Min Chargeable 1.5 sq/m	Min Chargeable 1.5 sq/m	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1.5 sq/m
	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m
A	75	121	150	196	75	121	40	190
B	87	133	165	211	95	141	60	210
C	110	156	190	236	122	168	90	225
D	132	178	210	256	148	194	115	250
E	156	202	230	276	175	221	140	265
F	202	248	255	301	202	248	170	290
G	225	271	300	346	228	274	200	340

Discount on Signature collection is applicable only when ordering online.

Description	Minimum	Unit	Price (AED)
Gemstone (Available in Roller, Romex, Panel, and Roman)	1	Mtr	100



Panel blind



Vertical blind

ALUMINIUM VENETIAN BLINDS - 25MM	Price Band	Min Chargeable 1.5 sq/m (AED)
Plain	VG1	65
Special	VG2	85



Venetian blinds

MADE TO MEASURE WOOD BLINDS

Min Chargeable 1.5 sq/m (AED)

Wooden Venetian 50mm (All Colours)

171




Made to Measure Wood blind



This product is not suitable for conservatories or rooms with excessive direct sunlight or heat. Please note we will not query any orders with alternate control instructions as customised blinds cannot be altered.

HONEYCOMB BLIND

Price Band	Design	Perfect Fit	Skylight
		Min Chargeable 0.5 sq/m	Min Chargeable 0.5 sq/m
		Price - AED (Per sq/m)	Price - AED (Per sq/m)
A	Darby	290	247
B	Liana	313	270
C	Zaria	325	282
D	Tiyara	353	310



Honeycomb Blind



SPIRE- 85MM



GLOBE- 80MM



TURRET- 65MM



SOVEREIGN END CAP- 25MM



CROWN-90MM



SWIRL FINIAL- 110MM



ORB-80MM



CREST- 95MM

AVAILABLE:

Brushed Nickel, Antique Brass, Black Nickel

Product	Description	Unit	Price (AED)
	Globe Finial	Pc	15
	Crown Finial	Pc	20
	Turret Finial	Pc	9
	Swirl Finial	Pc	17
	Single Bracket	Pc	14
	Side Bracket	Pc	6

Product	Description	Unit	Price (AED)
	Crest Finial	Pc	15
	Spire Finial	Pc	20
	Orb Finial	Pc	17
	End Cap	Pc	4
	Double Bracket	Pc	16
	Brass Rings	Pc	4

Product	Description	Unit	Price (AED)
	Angle Joiner	Pc	10
	28mm Pole (per 3 meter)	Pc	45

Product	Description	Unit	Price (AED)
	Hook	Pc	5
	Plated zinc Joint Plate	Pc	3

Curtain Track - Prices			Min. Chargeable 1.5 mtr
System Ref	Description	UOM	Price - AED
KS	Klick system	MTR	28
CKS	Corded klick system	MTR	63
CS	Contract system	MTR	70
CCS	Corded contract system	MTR	80
DS	Design system	MTR	40
FES	Easy Fold System (Excludes Track)	MTR	50
	Track Bending	MTR	150
Note:	The cord length will be made 500mm shorter than the drop of the curtains unless otherwise specified. When ordering without curtains please mention cord length required.		

FOREST
— DRAPERY HARDWARE —
AUTHORISED DEALER

Brackets and Accessories			
System Ref	Description	UOM	Price Per Bracket - AED
Brackets	Smart klick ceiling bracket	PC	1.5
	Smart klick ceiling bracket with cover	PC	2
	3.5 Cm smart klick wall bracket	PC	2.5
	6 Cm smart klick wall bracket	PC	3
	7.5 Cm aluminium wall bracket	PC	9
	10 Cm aluminium wall bracket	PC	11
	15 Cm double aluminium wall bracket	PC	16
	20 Cm double aluminium wall bracket	PC	20
Accessories	Wand transparent 1.5M	PC	19
	Wand white 1.5M	PC	21
	Track joining plate	PC	3.5
	Cord weight	PC	3.5
	Tension pulley	PC	3.5
	10 Pack ks carriers	PC	1
	10 Pack cs carriers	PC	1
Note:	If you do not mention quantity of brackets we will supply with one bracket per 50cm or part thereof plus 1 additional bracket. We will also ship the smart klick ceiling bracket as default.		

Features

Quick Installation Thanks to Smart Click Technology

Tracks can be bended and curved to order

Quality Assurance

All products are Made in Europe

Nylon/Ball bearing runners made with self lubricating material helps to avoid brittleness.

Metal overlap Arms in CKS, CS, & CCS tracks.

Heavy duty tracks and minimal twisting

Accepted / recommended by leading Consultants / Interior Designers




Curtain Track - Prices		Min. Chargeable 1.5 mtr
Decription	UOM	Price - AED
Medical Track (MTS) (Excluding Suspension Pole)	MTR	120
Medical Track - Suspension Pole - 500mm length	PC	100
Joint Plate	PC	30

PRODUCT INFORMATION


- Elegant and functional Medical Track System.
- Simple and quick installation.
- Bendable, both with an inside and outside bend with a 20 cm radius.
- Dustproof synthetic insert strip available.
- Bending Tool which can curve tracks easily.
- Colour: White.
- Lengths: 5.80 m (19') and 7 m (23')
- Rail quality: aluminium, chromated, powder coated.
- Factory applied patented dry lubricant.

- 1 MTS Track
- 2 MTS Wall Bracket
- 3 MTS Carrier with Metal Hook
- 4 MTS Suspension Ceiling Bracket
- 5 MTS Track Bridge Long
- 6 MTS End-Cap



PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 500 grams per meter (5,36 ounce per ft.)



FOR USE IN

Healthcare sector and sanitary rooms, or at any other location where a high quality, elegant and manually operated Medical Track System is required.



Antibacterial Fabrics - Prices	Price per Sq. Meter (AED)
Antibacterial Fabrics	100

Biosat



100 % FR M1 Polyester bioactive



280 cm - 140 g/m²

FABRICS IN STOCK



Cubicle curtains




Curtains



Roman blinds



FABRICS SUPPLIED TO ORDER



* MINIMUM ORDER QUANTITY IS 25 MTR. DELIVERY TIME IS 3 WEEKS



Description	Minimum	Unit	Price (AED)
Romans			
Romans make up only - with rails - cotton lined	1.5	Sq. Mtr	80
Romans make up only - with rails black-out lined	1.5	Sq. Mtr	90
Romans make up with borders - with rails - with cotton lined	1.5	Sq. Mtr	95
Romans make up with borders - with rails - with black-out lined	1.5	Sq. Mtr	105
Gemstone (Available in Roller, Romex, Panel, and Roman)	1	Mtr	100

Tracks

Roman Rail - Cassette System	150 AED / Mtr - Minimum Chargeable 1 mtr
Forest Roman Rail	350 AED / Mtr - Minimum Chargeable 1 mtr

Tracks

Vertical Head Rail - Slimline	40 AED / Mtr - Minimum Chargeable 1 mtr
Vertical Head Rail - Vogue	50 AED / Mtr - Minimum Chargeable 1 mtr

With Standard Lining

Band A	675	1350	2025	2700	3375	4050
drop/width						
1000	161	220	350	400	506	561
1250	175	246	376	428	545	602
1500	185	257	396	448	575	632
1750	198	272	423	476	615	674
2000	211	287	449	504	654	715
2250	224	302	475	532	694	756
2500	237	316	501	560	733	797
2750	250	331	528	588	772	839
3000	260	342	548	608	802	869
3250	274	357	575	637	842	910
3500	286	372	600	664	881	951
3750	299	382	627	693	920	993
4000	312	401	653	720	959	1,034
4250	325	416	679	748	999	1,075
4500	336	427	700	769	1,029	1,105
4750	349	442	726	797	1,069	1,147
5000	361	457	752	824	1,107	1,188

With Standard Lining

Band B	675	1350	2025	2700	3375	4050
drop/width						
1000	186	245	398	448	578	633
1250	203	275	433	485	631	688
1500	218	290	462	514	674	731
1750	236	309	497	551	727	785
2000	253	328	532	587	779	839
2250	270	348	567	624	831	894
2500	287	366	602	660	883	948
2750	304	386	637	697	936	1,002
3000	319	401	666	726	979	1,045
3250	337	420	701	763	1,031	1,100
3500	354	439	736	799	1,083	1,154
3750	371	454	771	836	1,136	1,208
4000	388	478	805	873	1,188	1,262
4250	406	497	841	909	1,241	1,317
4500	421	512	869	938	1,283	1,360
4750	438	531	905	975	1,336	1,414
5000	455	550	939	1,012	1,388	1,468

With Standard Lining

Band C	675	1350	2025	2700	3375	4050
drop/width						
1000	217	276	460	510	671	726
1250	240	311	506	558	740	797
1500	260	332	546	598	800	857
1750	283	357	592	646	869	928
2000	306	381	638	693	938	998
2250	329	406	684	741	1,007	1,069
2500	351	430	730	788	1,075	1,140
2750	374	455	776	836	1,145	1,211
3000	394	476	816	876	1,204	1,271
3250	417	501	862	924	1,273	1,342
3500	440	525	908	972	1,342	1,412
3750	463	545	954	1,020	1,411	1,483
4000	485	575	1,000	1,067	1,479	1,554
4250	508	600	1,046	1,115	1,549	1,625
4500	529	620	1,086	1,155	1,608	1,684
4750	552	645	1,132	1,203	1,677	1,756
5000	574	670	1,178	1,250	1,746	1,826

With Standard Lining

Band D	675	1350	2025	2700	3375	4050
drop/width						
1000	247	306	521	571	763	818
1250	275	347	578	630	848	905
1500	302	373	629	681	924	981
1750	330	404	686	740	1,010	1,068
2000	358	433	742	798	1,094	1,155
2250	386	464	800	857	1,180	1,243
2500	414	494	856	915	1,265	1,329
2750	443	524	913	974	1,350	1,417
3000	468	550	964	1,024	1,426	1,493
3250	497	581	1,021	1,083	1,512	1,580
3500	525	610	1,078	1,141	1,596	1,667
3750	553	636	1,135	1,200	1,682	1,754
4000	581	670	1,191	1,258	1,767	1,841
4250	610	701	1,248	1,317	1,852	1,929
4500	635	727	1,299	1,368	1,928	2,005
4750	664	757	1,356	1,427	2,014	2,092
5000	692	787	1,413	1,485	2,099	2,179

With Standard Lining

Band E	675	1350	2025	2700	3375	4050
drop/width						
1000	278	337	582	632	854	909
1250	311	383	650	702	956	1,013
1500	343	415	712	763	1,048	1,105
1750	377	450	780	833	1,150	1,209
2000	410	486	847	902	1,251	1,312
2250	444	522	915	972	1,353	1,416
2500	477	557	982	1,041	1,454	1,519
2750	511	593	1,050	1,111	1,556	1,623
3000	542	624	1,112	1,173	1,648	1,715
3250	576	660	1,180	1,242	1,750	1,819
3500	610	695	1,248	1,311	1,851	1,922
3750	644	726	1,316	1,381	1,953	2,026
4000	677	766	1,383	1,450	2,054	2,129
4250	711	802	1,451	1,520	2,156	2,233
4500	742	834	1,513	1,582	2,248	2,325
4750	776	870	1,581	1,651	2,350	2,429
5000	809	905	1,648	1,720	2,451	2,532

With Standard Lining

Band F	675	1350	2025	2700	3375	4050
drop/width						
1000	308	367	643	693	946	1,000
1250	347	419	722	774	1,064	1,121
1500	384	456	794	846	1,172	1,229
1750	424	497	873	927	1,290	1,349
2000	462	538	951	1,007	1,408	1,469
2250	502	579	1,030	1,087	1,526	1,589
2500	540	620	1,109	1,167	1,644	1,708
2750	580	661	1,188	1,248	1,762	1,829
3000	617	698	1,260	1,321	1,870	1,937
3250	656	740	1,339	1,401	1,989	2,057
3500	695	780	1,417	1,481	2,106	2,177
3750	734	816	1,496	1,562	2,224	2,297
4000	773	862	1,575	1,642	2,342	2,416
4250	812	903	1,653	1,722	2,460	2,536
4500	849	940	1,726	1,795	2,568	2,645
4750	888	982	1,805	1,876	2,687	2,765
5000	927	1,022	1,883	1,956	2,804	2,884

With Standard Lining						
Band G	675	1350	2025	2700	3375	4050
drop/width						
1000	337	396	701	751	1,033	1,088
1250	382	453	790	842	1,167	1,223
1500	424	495	873	925	1,291	1,347
1750	468	542	963	1,016	1,424	1,483
2000	512	588	1,051	1,106	1,557	1,618
2250	557	634	1,140	1,197	1,691	1,754
2500	601	680	1,229	1,288	1,824	1,889
2750	645	727	1,318	1,379	1,958	2,025
3000	687	769	1,401	1,462	2,082	2,149
3250	732	815	1,491	1,553	2,216	2,285
3500	776	861	1,579	1,643	2,349	2,420
3750	820	903	1,669	1,734	2,483	2,555
4000	864	953	1,757	1,824	2,616	2,690
4250	909	1,000	1,847	1,915	2,750	2,826
4500	951	1,042	1,930	1,999	2,874	2,950
4750	995	1,089	2,019	2,090	3,008	3,086
5000	1,039	1,135	2,108	2,180	3,141	3,221

	675	1350	2025	2700	3375	4050
drop/width						
1000	8	8	16	16	24	24
1250	9	9	19	19	28	28
1500	11	11	22	22	33	33
1750	12	12	25	25	37	37
2000	14	14	28	28	41	41
2250	15	15	30	30	46	46
2500	17	17	33	33	50	50
2750	18	18	36	36	54	54
3000	20	20	39	39	59	59
3250	21	21	42	42	63	63
3500	22	22	45	45	67	67
3750	24	24	48	48	72	72
4000	25	25	51	51	76	76
4250	27	27	53	53	80	80
4500	28	28	56	56	85	85
4750	30	30	59	59	89	89
5000	31	31	62	62	93	93

Description	Minimum	Unit	Price (AED)
Panels			
Panel Curtain make up only		Sq. Mtr	120
Curtains -Lined (Including PC Lining)			
Curtain Make up Standard Finish Pencil Pleat	200% Fullness	Rm	95
Curtain Make up Standard Finish Pinch Pleat	200% Fullness	Rm	95
Curtain Make up Deluxe Finish Pinch Pleat	260% Fullness	Rm	125
Curtain Make up Eyelet Finish	200% Fullness	Rm	95
Curtain Make up Wave Design	300% Fullness	Rm	200
Interlined Curtains (Inc Interlining)	(Please add RM price to relevant finish)	Rm	75
Curtains with Borders	(Please add RM price to relevant finish)	Rm	30
Chiffon / Curtains -Unlined			
Chiffon Curtains make up only - Standard Finish Pencil Pleat	200% Fullness	Rm	50
Chiffon Curtain make up only - Standard Finish Double Pinch Pleat (Buckram)	200% Fullness	Rm	60
Chiffon Curtain make up only - Deluxe Finish Triple Pinch Pleat (Buckram)	260% Fullness	Rm	65
Chiffon Curtain make up only - Eyelet Finish (Metal)	200% Fullness	Rm	67
Chiffon Curtain make up only - Wave Design	300% Fullness	Rm	110
Lining			
Cotton Lining		Sq. Mtr	10
Black-out lining		Sq. Mtr	15
Black-out Interlining		Sq. Mtr	23.5
Pelmets			
Pelmet Boxes with foam (straight)	1.5	Rm	150
Tie-backs			
Tie backs		Pair	25
Tie backs		Pair	35

Description	Minimum	Unit	Price (AED)
Cushions			
Standard Cushions - 45 x 45 cm - Without filler		Pc	25
Piped Cushions - 45 x 45 cm - Without filler		Pc	30
Standard Cushions - 55 x 55 cm - Without filler		Pc	35
Piped Cushions- 55 x 55 cm - Without filler		Pc	40
Standard Cushions - 65 x 65 cm - Without filler		Pc	40
Piped Cushions- 65 x 65 cm - Without filler		Pc	45
Filler		Pc	10



Curtain Blind



Curtain Blind

DOUBLE WIDTH

200% Fullness								With Standard Lining		
Band A	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	251	377	503	629	754	880	1,006	1,131	1,257	1,383
1250	268	402	536	670	805	939	1,073	1,207	1,341	1,475
1500	285	427	570	712	855	997	1,140	1,282	1,425	1,567
1750	302	453	603	754	905	1,056	1,207	1,358	1,509	1,660
2000	318	478	637	796	955	1,115	1,274	1,433	1,592	1,752
2250	335	503	671	838	1,006	1,173	1,341	1,509	1,676	1,844
2500	352	528	704	880	1,056	1,232	1,408	1,584	1,760	1,936
2750	369	553	738	922	1,106	1,291	1,475	1,660	1,844	2,028
3000	386	578	771	964	1,157	1,349	1,542	1,735	1,928	2,121
3250	402	603	805	1,006	1,207	1,408	1,609	1,810	2,012	2,213
3500	419	629	838	1,048	1,257	1,467	1,676	1,886	2,095	2,305
3750	436	654	872	1,090	1,308	1,525	1,743	1,961	2,179	2,397
4000	453	679	905	1,132	1,358	1,584	1,810	2,037	2,263	2,489
4250	469	704	939	1,173	1,408	1,643	1,878	2,112	2,347	2,582
4500	486	729	972	1,215	1,458	1,702	1,945	2,188	2,431	2,674
4750	503	754	1,006	1,257	1,509	1,760	2,012	2,263	2,515	2,766
5000	520	780	1,039	1,299	1,559	1,819	2,079	2,339	2,598	2,858

200% Fullness								With Standard Lining		
Band B	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	296	444	592	740	889	1,037	1,185	1,333	1,481	1,629
1250	320	480	640	800	960	1,121	1,281	1,441	1,601	1,761
1500	344	516	688	860	1,032	1,205	1,377	1,549	1,721	1,893
1750	368	552	736	920	1,104	1,288	1,473	1,657	1,841	2,025
2000	392	588	784	980	1,176	1,372	1,568	1,764	1,961	2,157
2250	416	624	832	1,040	1,248	1,456	1,664	1,872	2,080	2,289
2500	440	660	880	1,100	1,320	1,540	1,760	1,980	2,200	2,420
2750	464	696	928	1,160	1,392	1,624	1,856	2,088	2,320	2,552
3000	488	732	976	1,220	1,464	1,708	1,952	2,196	2,440	2,684
3250	512	768	1,024	1,280	1,536	1,792	2,048	2,304	2,560	2,816
3500	536	804	1,072	1,340	1,608	1,876	2,144	2,412	2,680	2,948
3750	560	840	1,120	1,400	1,680	1,960	2,240	2,520	2,800	3,080
4000	584	876	1,168	1,460	1,752	2,044	2,336	2,628	2,920	3,212
4250	608	912	1,216	1,520	1,824	2,128	2,432	2,736	3,040	3,344
4500	632	948	1,264	1,580	1,896	2,212	2,528	2,844	3,160	3,476
4750	656	984	1,312	1,640	1,968	2,296	2,624	2,952	3,280	3,608
5000	680	1,020	1,360	1,700	2,040	2,380	2,720	3,060	3,400	3,739

DOUBLE WIDTH

200% Fullness										With Standard Lining
Band C	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	353	530	706	883	1,060	1,236	1,413	1,590	1,766	1,943
1250	386	580	773	966	1,159	1,352	1,546	1,739	1,932	2,125
1500	420	629	839	1,049	1,259	1,469	1,678	1,888	2,098	2,308
1750	453	679	906	1,132	1,358	1,585	1,811	2,037	2,264	2,490
2000	486	729	972	1,215	1,458	1,701	1,944	2,187	2,430	2,673
2250	519	779	1,038	1,298	1,557	1,817	2,077	2,336	2,596	2,855
2500	552	828	1,105	1,381	1,657	1,933	2,209	2,485	2,762	3,038
2750	586	878	1,171	1,464	1,757	2,049	2,342	2,635	2,928	3,220
3000	619	928	1,237	1,547	1,856	2,165	2,475	2,784	3,093	3,403
3250	652	978	1,304	1,630	1,956	2,282	2,607	2,933	3,259	3,585
3500	685	1,028	1,370	1,713	2,055	2,398	2,740	3,083	3,425	3,768
3750	718	1,077	1,436	1,796	2,155	2,514	2,873	3,232	3,591	3,950
4000	751	1,127	1,503	1,879	2,254	2,630	3,006	3,381	3,757	4,133
4250	785	1,177	1,569	1,962	2,354	2,746	3,138	3,531	3,923	4,315
4500	818	1,227	1,636	2,044	2,453	2,862	3,271	3,680	4,089	4,498
4750	851	1,276	1,702	2,127	2,553	2,978	3,404	3,829	4,255	4,680
5000	884	1,326	1,768	2,210	2,652	3,095	3,537	3,979	4,421	4,863

200% Fullness										With Standard Lining
Band D	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	409	614	819	1,024	1,228	1,433	1,638	1,843	2,047	2,252
1250	452	678	903	1,129	1,355	1,581	1,807	2,033	2,259	2,485
1500	494	741	988	1,235	1,482	1,729	1,976	2,223	2,470	2,717
1750	536	804	1,073	1,341	1,609	1,877	2,145	2,413	2,681	2,949
2000	579	868	1,157	1,446	1,736	2,025	2,314	2,603	2,893	3,182
2250	621	931	1,242	1,552	1,862	2,173	2,483	2,793	3,104	3,414
2500	663	995	1,326	1,658	1,989	2,321	2,652	2,984	3,315	3,647
2750	705	1,058	1,411	1,763	2,116	2,468	2,821	3,174	3,526	3,879
3000	748	1,121	1,495	1,869	2,243	2,616	2,990	3,364	3,738	4,111
3250	790	1,185	1,580	1,974	2,369	2,764	3,159	3,554	3,949	4,344
3500	832	1,248	1,664	2,080	2,496	2,912	3,328	3,744	4,160	4,576
3750	874	1,311	1,749	2,186	2,623	3,060	3,497	3,934	4,372	4,809
4000	917	1,375	1,833	2,291	2,750	3,208	3,666	4,125	4,583	5,041
4250	959	1,438	1,918	2,397	2,876	3,356	3,835	4,315	4,794	5,274
4500	1,001	1,502	2,002	2,503	3,003	3,504	4,004	4,505	5,005	5,506
4750	1,043	1,565	2,087	2,608	3,130	3,652	4,173	4,695	5,217	5,738
5000	1,086	1,628	2,171	2,714	3,257	3,800	4,342	4,885	5,428	5,971

DOUBLE WIDTH

200% Fullness										With Standard Lining
Band E	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	466	699	931	1,164	1,397	1,630	1,863	2,096	2,329	2,562
1250	517	776	1,034	1,293	1,551	1,810	2,068	2,327	2,585	2,844
1500	568	853	1,137	1,421	1,705	1,989	2,274	2,558	2,842	3,126
1750	620	930	1,239	1,549	1,859	2,169	2,479	2,789	3,099	3,409
2000	671	1,007	1,342	1,678	2,013	2,349	2,684	3,020	3,355	3,691
2250	722	1,084	1,445	1,806	2,167	2,528	2,890	3,251	3,612	3,973
2500	774	1,161	1,547	1,934	2,321	2,708	3,095	3,482	3,869	4,256
2750	825	1,238	1,650	2,063	2,475	2,888	3,300	3,713	4,125	4,538
3000	876	1,315	1,753	2,191	2,629	3,067	3,506	3,944	4,382	4,820
3250	928	1,392	1,855	2,319	2,783	3,247	3,711	4,175	4,639	5,102
3500	979	1,469	1,958	2,448	2,937	3,427	3,916	4,406	4,895	5,385
3750	1,030	1,546	2,061	2,576	3,091	3,606	4,122	4,637	5,152	5,667
4000	1,082	1,623	2,163	2,704	3,245	3,786	4,327	4,868	5,409	5,949
4250	1,133	1,700	2,266	2,833	3,399	3,966	4,532	5,099	5,665	6,232
4500	1,184	1,777	2,369	2,961	3,553	4,145	4,738	5,330	5,922	6,514
4750	1,236	1,854	2,471	3,089	3,707	4,325	4,943	5,561	6,179	6,796
5000	1,287	1,931	2,574	3,218	3,861	4,505	5,148	5,792	6,435	7,079

200% Fullness										With Standard Lining
Band F	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	522	783	1,044	1,305	1,566	1,827	2,088	2,349	2,610	2,871
1250	582	874	1,165	1,456	1,747	2,038	2,330	2,621	2,912	3,203
1500	643	964	1,286	1,607	1,928	2,250	2,571	2,893	3,214	3,535
1750	703	1,055	1,406	1,758	2,110	2,461	2,813	3,164	3,516	3,868
2000	764	1,145	1,527	1,909	2,291	2,673	3,054	3,436	3,818	4,200
2250	824	1,236	1,648	2,060	2,472	2,884	3,296	3,708	4,120	4,532
2500	884	1,327	1,769	2,211	2,653	3,096	3,538	3,980	4,422	4,864
2750	945	1,417	1,890	2,362	2,835	3,307	3,779	4,252	4,724	5,197
3000	1,005	1,508	2,010	2,513	3,016	3,518	4,021	4,524	5,026	5,529
3250	1,066	1,598	2,131	2,664	3,197	3,730	4,263	4,795	5,328	5,861
3500	1,126	1,689	2,252	2,815	3,378	3,941	4,504	5,067	5,630	6,193
3750	1,186	1,780	2,373	2,966	3,559	4,153	4,746	5,339	5,932	6,526
4000	1,247	1,870	2,494	3,117	3,741	4,364	4,987	5,611	6,234	6,858
4250	1,307	1,961	2,615	3,268	3,922	4,575	5,229	5,883	6,536	7,190
4500	1,368	2,052	2,735	3,419	4,103	4,787	5,471	6,155	6,838	7,522
4750	1,428	2,142	2,856	3,570	4,284	4,998	5,712	6,426	7,140	7,854
5000	1,488	2,233	2,977	3,721	4,465	5,210	5,954	6,698	7,442	8,187

DOUBLE WIDTH

200% Fullness							With Standard Lining			
Band G	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
drop/width										
1000	576	863	1,151	1,439	1,727	2,015	2,303	2,590	2,878	3,166
1250	645	967	1,289	1,612	1,934	2,256	2,579	2,901	3,224	3,546
1500	714	1,071	1,428	1,784	2,141	2,498	2,855	3,212	3,569	3,926
1750	783	1,174	1,566	1,957	2,348	2,740	3,131	3,523	3,914	4,305
2000	852	1,278	1,704	2,130	2,556	2,982	3,407	3,833	4,259	4,685
2250	921	1,381	1,842	2,302	2,763	3,223	3,684	4,144	4,605	5,065
2500	990	1,485	1,980	2,475	2,970	3,465	3,960	4,455	4,950	5,445
2750	1,059	1,589	2,118	2,648	3,177	3,707	4,236	4,766	5,295	5,825
3000	1,128	1,692	2,256	2,820	3,384	3,948	4,512	5,076	5,641	6,205
3250	1,197	1,796	2,394	2,993	3,591	4,190	4,789	5,387	5,986	6,584
3500	1,266	1,899	2,532	3,166	3,799	4,432	5,065	5,698	6,331	6,964
3750	1,335	2,003	2,671	3,338	4,006	4,673	5,341	6,009	6,676	7,344
4000	1,404	2,107	2,809	3,511	4,213	4,915	5,617	6,320	7,022	7,724
4250	1,473	2,210	2,947	3,683	4,420	5,157	5,894	6,630	7,367	8,104
4500	1,542	2,314	3,085	3,856	4,627	5,399	6,170	6,941	7,712	8,483
4750	1,612	2,417	3,223	4,029	4,835	5,640	6,446	7,252	8,058	8,863
5000	1,681	2,521	3,361	4,201	5,042	5,882	6,722	7,563	8,403	9,243

260% Fullness

With Standard Lining

Band A drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	329	494	658	823	988	1,152	1,317	1,481	1,646	1,811
1250	351	526	702	877	1,053	1,228	1,404	1,579	1,755	1,930
1500	373	559	746	932	1,118	1,305	1,491	1,678	1,864	2,050
1750	395	592	789	986	1,184	1,381	1,578	1,776	1,973	2,170
2000	416	625	833	1,041	1,249	1,457	1,665	1,874	2,082	2,290
2250	438	657	876	1,095	1,315	1,534	1,753	1,972	2,191	2,410
2500	460	690	920	1,150	1,380	1,610	1,840	2,070	2,300	2,530
2750	482	723	964	1,204	1,445	1,686	1,927	2,168	2,409	2,650
3000	504	755	1,007	1,259	1,511	1,762	2,014	2,266	2,518	2,770
3250	525	788	1,051	1,313	1,576	1,839	2,101	2,364	2,627	2,889
3500	547	821	1,094	1,368	1,641	1,915	2,189	2,462	2,736	3,009
3750	569	853	1,138	1,422	1,707	1,991	2,276	2,560	2,845	3,129
4000	591	886	1,181	1,477	1,772	2,068	2,363	2,658	2,954	3,249
4250	613	919	1,225	1,531	1,838	2,144	2,450	2,756	3,063	3,369
4500	634	951	1,269	1,586	1,903	2,220	2,537	2,854	3,172	3,489
4750	656	984	1,312	1,640	1,968	2,296	2,624	2,953	3,281	3,609
5000	678	1,017	1,356	1,695	2,034	2,373	2,712	3,051	3,390	3,729

260% Fullness

With Standard Lining

Band B drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	387	581	775	968	1,162	1,356	1,549	1,743	1,937	2,130
1250	419	628	837	1,046	1,256	1,465	1,674	1,883	2,093	2,302
1500	450	675	899	1,124	1,349	1,574	1,799	2,024	2,249	2,473
1750	481	721	962	1,202	1,443	1,683	1,924	2,164	2,404	2,645
2000	512	768	1,024	1,280	1,536	1,792	2,048	2,304	2,560	2,816
2250	543	815	1,086	1,358	1,630	1,901	2,173	2,445	2,716	2,988
2500	574	862	1,149	1,436	1,723	2,010	2,298	2,585	2,872	3,159
2750	606	908	1,211	1,514	1,817	2,120	2,422	2,725	3,028	3,331
3000	637	955	1,274	1,592	1,910	2,229	2,547	2,866	3,184	3,502
3250	668	1,002	1,336	1,670	2,004	2,338	2,672	3,006	3,340	3,674
3500	699	1,049	1,398	1,748	2,097	2,447	2,797	3,146	3,496	3,845
3750	730	1,095	1,461	1,826	2,191	2,556	2,921	3,286	3,652	4,017
4000	761	1,142	1,523	1,904	2,284	2,665	3,046	3,427	3,807	4,188
4250	793	1,189	1,585	1,982	2,378	2,774	3,171	3,567	3,963	4,360
4500	824	1,236	1,648	2,060	2,472	2,883	3,295	3,707	4,119	4,531
4750	855	1,283	1,710	2,138	2,565	2,993	3,420	3,848	4,275	4,703
5000	886	1,329	1,772	2,215	2,659	3,102	3,545	3,988	4,431	4,874

260% Fullness

With Standard Lining

Band C drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	462	692	923	1,154	1,385	1,615	1,846	2,077	2,308	2,538
1250	505	757	1,009	1,262	1,514	1,766	2,019	2,271	2,523	2,776
1500	548	822	1,096	1,369	1,643	1,917	2,191	2,465	2,739	3,013
1750	591	886	1,182	1,477	1,773	2,068	2,364	2,659	2,955	3,250
2000	634	951	1,268	1,585	1,902	2,219	2,536	2,853	3,170	3,487
2250	677	1,016	1,354	1,693	2,032	2,370	2,709	3,047	3,386	3,725
2500	720	1,081	1,441	1,801	2,161	2,521	2,881	3,242	3,602	3,962
2750	763	1,145	1,527	1,909	2,290	2,672	3,054	3,436	3,817	4,199
3000	807	1,210	1,613	2,017	2,420	2,823	3,227	3,630	4,033	4,436
3250	850	1,275	1,700	2,124	2,549	2,974	3,399	3,824	4,249	4,674
3500	893	1,339	1,786	2,232	2,679	3,125	3,572	4,018	4,465	4,911
3750	936	1,404	1,872	2,340	2,808	3,276	3,744	4,212	4,680	5,148
4000	979	1,469	1,958	2,448	2,938	3,427	3,917	4,406	4,896	5,385
4250	1,022	1,533	2,045	2,556	3,067	3,578	4,089	4,600	5,112	5,623
4500	1,065	1,598	2,131	2,664	3,196	3,729	4,262	4,795	5,327	5,860
4750	1,109	1,663	2,217	2,771	3,326	3,880	4,434	4,989	5,543	6,097
5000	1,152	1,728	2,303	2,879	3,455	4,031	4,607	5,183	5,759	6,335

260% Fullness

With Standard Lining

Band D drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	535	802	1,069	1,337	1,604	1,871	2,139	2,406	2,673	2,941
1250	590	884	1,179	1,474	1,769	2,064	2,358	2,653	2,948	3,243
1500	645	967	1,289	1,611	1,934	2,256	2,578	2,900	3,223	3,545
1750	699	1,049	1,399	1,749	2,098	2,448	2,798	3,148	3,497	3,847
2000	754	1,132	1,509	1,886	2,263	2,640	3,018	3,395	3,772	4,149
2250	809	1,214	1,619	2,023	2,428	2,833	3,237	3,642	4,047	4,451
2500	864	1,296	1,729	2,161	2,593	3,025	3,457	3,889	4,321	4,753
2750	919	1,379	1,838	2,298	2,758	3,217	3,677	4,136	4,596	5,056
3000	974	1,461	1,948	2,435	2,922	3,409	3,897	4,384	4,871	5,358
3250	1,029	1,544	2,058	2,573	3,087	3,602	4,116	4,631	5,145	5,660
3500	1,084	1,626	2,168	2,710	3,252	3,794	4,336	4,878	5,420	5,962
3750	1,139	1,708	2,278	2,847	3,417	3,986	4,556	5,125	5,695	6,264
4000	1,194	1,791	2,388	2,985	3,582	4,179	4,775	5,372	5,969	6,566
4250	1,249	1,873	2,498	3,122	3,746	4,371	4,995	5,620	6,244	6,868
4500	1,304	1,956	2,607	3,259	3,911	4,563	5,215	5,867	6,519	7,171
4750	1,359	2,038	2,717	3,397	4,076	4,755	5,435	6,114	6,793	7,473
5000	1,414	2,120	2,827	3,534	4,241	4,948	5,654	6,361	7,068	7,775

260% Fullness

With Standard Lining

Band E drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	608	912	1,216	1,519	1,823	2,127	2,431	2,735	3,039	3,343
1250	675	1,012	1,349	1,686	2,024	2,361	2,698	3,035	3,373	3,710
1500	741	1,112	1,483	1,853	2,224	2,594	2,965	3,336	3,706	4,077
1750	808	1,212	1,616	2,020	2,424	2,828	3,232	3,636	4,040	4,444
2000	875	1,312	1,749	2,187	2,624	3,062	3,499	3,936	4,374	4,811
2250	941	1,412	1,883	2,354	2,824	3,295	3,766	4,237	4,707	5,178
2500	1,008	1,512	2,016	2,520	3,025	3,529	4,033	4,537	5,041	5,545
2750	1,075	1,612	2,150	2,687	3,225	3,762	4,300	4,837	5,375	5,912
3000	1,142	1,712	2,283	2,854	3,425	3,996	4,567	5,137	5,708	6,279
3250	1,208	1,813	2,417	3,021	3,625	4,229	4,833	5,438	6,042	6,646
3500	1,275	1,913	2,550	3,188	3,825	4,463	5,100	5,738	6,376	7,013
3750	1,342	2,013	2,684	3,355	4,025	4,696	5,367	6,038	6,709	7,380
4000	1,409	2,113	2,817	3,521	4,226	4,930	5,634	6,339	7,043	7,747
4250	1,475	2,213	2,951	3,688	4,426	5,164	5,901	6,639	7,376	8,114
4500	1,542	2,313	3,084	3,855	4,626	5,397	6,168	6,939	7,710	8,481
4750	1,609	2,413	3,218	4,022	4,826	5,631	6,435	7,239	8,044	8,848
5000	1,675	2,513	3,351	4,189	5,026	5,864	6,702	7,540	8,377	9,215

260% Fullness

With Standard Lining

Band F drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	681	1,021	1,362	1,702	2,043	2,383	2,724	3,064	3,405	3,745
1250	759	1,139	1,519	1,899	2,278	2,658	3,038	3,418	3,797	4,177
1500	838	1,257	1,676	2,095	2,514	2,933	3,352	3,771	4,190	4,609
1750	917	1,375	1,833	2,291	2,750	3,208	3,666	4,124	4,583	5,041
2000	995	1,493	1,990	2,488	2,985	3,483	3,980	4,478	4,975	5,473
2250	1,074	1,610	2,147	2,684	3,221	3,757	4,294	4,831	5,368	5,905
2500	1,152	1,728	2,304	2,880	3,456	4,032	4,608	5,184	5,760	6,337
2750	1,231	1,846	2,461	3,077	3,692	4,307	4,922	5,538	6,153	6,768
3000	1,309	1,964	2,618	3,273	3,927	4,582	5,237	5,891	6,546	7,200
3250	1,388	2,082	2,775	3,469	4,163	4,857	5,551	6,245	6,938	7,632
3500	1,466	2,199	2,932	3,666	4,399	5,132	5,865	6,598	7,331	8,064
3750	1,545	2,317	3,089	3,862	4,634	5,407	6,179	6,951	7,724	8,496
4000	1,623	2,435	3,247	4,058	4,870	5,681	6,493	7,305	8,116	8,928
4250	1,702	2,553	3,404	4,254	5,105	5,956	6,807	7,658	8,509	9,360
4500	1,780	2,670	3,561	4,451	5,341	6,231	7,121	8,011	8,902	9,792
4750	1,859	2,788	3,718	4,647	5,577	6,506	7,435	8,365	9,294	10,224
5000	1,937	2,906	3,875	4,843	5,812	6,781	7,749	8,718	9,687	10,656

260% Fullness

With Standard Lining

Band G drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	751	1,126	1,501	1,877	2,252	2,627	3,003	3,378	3,753	4,129
1250	840	1,261	1,681	2,101	2,521	2,942	3,362	3,782	4,202	4,622
1500	930	1,395	1,860	2,326	2,791	3,256	3,721	4,186	4,651	5,116
1750	1,020	1,530	2,040	2,550	3,060	3,570	4,080	4,590	5,100	5,610
2000	1,110	1,665	2,220	2,774	3,329	3,884	4,439	4,994	5,549	6,104
2250	1,200	1,799	2,399	2,999	3,599	4,198	4,798	5,398	5,998	6,597
2500	1,289	1,934	2,579	3,223	3,868	4,513	5,157	5,802	6,447	7,091
2750	1,379	2,069	2,758	3,448	4,137	4,827	5,516	6,206	6,895	7,585
3000	1,469	2,203	2,938	3,672	4,407	5,141	5,875	6,610	7,344	8,079
3250	1,559	2,338	3,117	3,897	4,676	5,455	6,235	7,014	7,793	8,573
3500	1,648	2,473	3,297	4,121	4,945	5,769	6,594	7,418	8,242	9,066
3750	1,738	2,607	3,476	4,345	5,215	6,084	6,953	7,822	8,691	9,560
4000	1,828	2,742	3,656	4,570	5,484	6,398	7,312	8,226	9,140	10,054
4250	1,918	2,877	3,835	4,794	5,753	6,712	7,671	8,630	9,589	10,548
4500	2,008	3,011	4,015	5,019	6,023	7,026	8,030	9,034	10,038	11,041
4750	2,097	3,146	4,195	5,243	6,292	7,341	8,389	9,438	10,486	11,535
5000	2,187	3,281	4,374	5,468	6,561	7,655	8,748	9,842	10,935	12,029

200% Fullness

With Standard Lining

Band A drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	414	622	829	1,036	1,243	1,451	1,658	1,865	2,072	2,279
1250	431	647	862	1,078	1,294	1,509	1,725	1,940	2,156	2,372
1500	448	672	896	1,120	1,344	1,568	1,792	2,016	2,240	2,464
1750	465	697	929	1,162	1,394	1,627	1,859	2,091	2,324	2,556
2000	482	722	963	1,204	1,445	1,685	1,926	2,167	2,408	2,648
2250	498	747	997	1,246	1,495	1,744	1,993	2,242	2,491	2,741
2500	515	773	1,030	1,288	1,545	1,803	2,060	2,318	2,575	2,833
2750	532	798	1,064	1,330	1,595	1,861	2,127	2,393	2,659	2,925
3000	549	823	1,097	1,371	1,646	1,920	2,194	2,469	2,743	3,017
3250	565	848	1,131	1,413	1,696	1,979	2,261	2,544	2,827	3,109
3500	582	873	1,164	1,455	1,746	2,037	2,328	2,619	2,911	3,202
3750	599	898	1,198	1,497	1,797	2,096	2,395	2,695	2,994	3,294
4000	616	923	1,231	1,539	1,847	2,155	2,463	2,770	3,078	3,386
4250	632	949	1,265	1,581	1,897	2,213	2,530	2,846	3,162	3,478
4500	649	974	1,298	1,623	1,947	2,272	2,597	2,921	3,246	3,570
4750	666	999	1,332	1,665	1,998	2,331	2,664	2,997	3,330	3,663
5000	683	1,024	1,365	1,707	2,048	2,389	2,731	3,072	3,413	3,755

200% Fullness

With Standard Lining

Band B drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	459	689	918	1,148	1,378	1,607	1,837	2,066	2,296	2,526
1250	483	725	966	1,208	1,450	1,691	1,933	2,174	2,416	2,657
1500	507	761	1,014	1,268	1,521	1,775	2,029	2,282	2,536	2,789
1750	531	797	1,062	1,328	1,593	1,859	2,125	2,390	2,656	2,921
2000	555	833	1,110	1,388	1,665	1,943	2,220	2,498	2,776	3,053
2250	579	869	1,158	1,448	1,737	2,027	2,316	2,606	2,896	3,185
2500	603	905	1,206	1,508	1,809	2,111	2,412	2,714	3,015	3,317
2750	627	941	1,254	1,568	1,881	2,195	2,508	2,822	3,135	3,449
3000	651	977	1,302	1,628	1,953	2,279	2,604	2,930	3,255	3,581
3250	675	1,013	1,350	1,688	2,025	2,363	2,700	3,038	3,375	3,713
3500	699	1,049	1,398	1,748	2,097	2,447	2,796	3,146	3,495	3,845
3750	723	1,085	1,446	1,808	2,169	2,531	2,892	3,254	3,615	3,977
4000	747	1,120	1,494	1,867	2,241	2,614	2,988	3,361	3,735	4,108
4250	771	1,156	1,542	1,927	2,313	2,698	3,084	3,469	3,855	4,240
4500	795	1,192	1,590	1,987	2,385	2,782	3,180	3,577	3,975	4,372
4750	819	1,228	1,638	2,047	2,457	2,866	3,276	3,685	4,095	4,504
5000	843	1,264	1,686	2,107	2,529	2,950	3,372	3,793	4,215	4,636

200% Fullness

With Standard Lining

Band C drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	516	774	1,032	1,291	1,549	1,807	2,065	2,323	2,581	2,839
1250	549	824	1,099	1,374	1,648	1,923	2,198	2,472	2,747	3,022
1500	583	874	1,165	1,457	1,748	2,039	2,330	2,622	2,913	3,204
1750	616	924	1,232	1,539	1,847	2,155	2,463	2,771	3,079	3,387
2000	649	973	1,298	1,622	1,947	2,271	2,596	2,920	3,245	3,569
2250	682	1,023	1,364	1,705	2,046	2,388	2,729	3,070	3,411	3,752
2500	715	1,073	1,431	1,788	2,146	2,504	2,861	3,219	3,577	3,934
2750	749	1,123	1,497	1,871	2,246	2,620	2,994	3,368	3,743	4,117
3000	782	1,173	1,563	1,954	2,345	2,736	3,127	3,518	3,909	4,299
3250	815	1,222	1,630	2,037	2,445	2,852	3,260	3,667	4,074	4,482
3500	848	1,272	1,696	2,120	2,544	2,968	3,392	3,816	4,240	4,664
3750	881	1,322	1,763	2,203	2,644	3,084	3,525	3,966	4,406	4,847
4000	914	1,372	1,829	2,286	2,743	3,201	3,658	4,115	4,572	5,029
4250	948	1,421	1,895	2,369	2,843	3,317	3,790	4,264	4,738	5,212
4500	981	1,471	1,962	2,452	2,942	3,433	3,923	4,414	4,904	5,394
4750	1,014	1,521	2,028	2,535	3,042	3,549	4,056	4,563	5,070	5,577
5000	1,047	1,571	2,094	2,618	3,142	3,665	4,189	4,712	5,236	5,759

200% Fullness

With Standard Lining

Band D drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	572	859	1,145	1,431	1,717	2,004	2,290	2,576	2,862	3,149
1250	615	922	1,230	1,537	1,844	2,152	2,459	2,766	3,074	3,381
1500	657	986	1,314	1,643	1,971	2,300	2,628	2,957	3,285	3,614
1750	699	1,049	1,399	1,748	2,098	2,447	2,797	3,147	3,496	3,846
2000	742	1,112	1,483	1,854	2,225	2,595	2,966	3,337	3,708	4,078
2250	784	1,176	1,568	1,959	2,351	2,743	3,135	3,527	3,919	4,311
2500	826	1,239	1,652	2,065	2,478	2,891	3,304	3,717	4,130	4,543
2750	868	1,302	1,737	2,171	2,605	3,039	3,473	3,907	4,341	4,776
3000	911	1,366	1,821	2,276	2,732	3,187	3,642	4,097	4,553	5,008
3250	953	1,429	1,906	2,382	2,858	3,335	3,811	4,288	4,764	5,240
3500	995	1,493	1,990	2,488	2,985	3,483	3,980	4,478	4,975	5,473
3750	1,037	1,556	2,075	2,593	3,112	3,631	4,149	4,668	5,187	5,705
4000	1,080	1,619	2,159	2,699	3,239	3,779	4,318	4,858	5,398	5,938
4250	1,122	1,683	2,244	2,805	3,366	3,926	4,487	5,048	5,609	6,170
4500	1,164	1,746	2,328	2,910	3,492	4,074	4,656	5,238	5,820	6,403
4750	1,206	1,810	2,413	3,016	3,619	4,222	4,825	5,429	6,032	6,635
5000	1,249	1,873	2,497	3,122	3,746	4,370	4,994	5,619	6,243	6,867

200% Fullness

With Standard Lining

Band E drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	629	943	1,258	1,572	1,886	2,201	2,515	2,829	3,144	3,458
1250	680	1,020	1,360	1,700	2,040	2,380	2,720	3,060	3,400	3,740
1500	731	1,097	1,463	1,829	2,194	2,560	2,926	3,291	3,657	4,023
1750	783	1,174	1,565	1,957	2,348	2,740	3,131	3,522	3,914	4,305
2000	834	1,251	1,668	2,085	2,502	2,919	3,336	3,753	4,170	4,587
2250	885	1,328	1,771	2,214	2,656	3,099	3,542	3,984	4,427	4,870
2500	937	1,405	1,873	2,342	2,810	3,279	3,747	4,215	4,684	5,152
2750	988	1,482	1,976	2,470	2,964	3,458	3,952	4,446	4,940	5,434
3000	1,039	1,559	2,079	2,599	3,118	3,638	4,158	4,677	5,197	5,717
3250	1,091	1,636	2,181	2,727	3,272	3,818	4,363	4,908	5,454	5,999
3500	1,142	1,713	2,284	2,855	3,426	3,997	4,568	5,139	5,710	6,281
3750	1,193	1,790	2,387	2,984	3,580	4,177	4,774	5,370	5,967	6,564
4000	1,245	1,867	2,489	3,112	3,734	4,357	4,979	5,601	6,224	6,846
4250	1,296	1,944	2,592	3,240	3,888	4,536	5,184	5,832	6,480	7,128
4500	1,347	2,021	2,695	3,368	4,042	4,716	5,390	6,063	6,737	7,411
4750	1,399	2,098	2,797	3,497	4,196	4,896	5,595	6,294	6,994	7,693
5000	1,450	2,175	2,900	3,625	4,350	5,075	5,800	6,525	7,250	7,975

200% Fullness

With Standard Lining

Band F drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	685	1,028	1,370	1,713	2,055	2,398	2,740	3,083	3,425	3,768
1250	745	1,118	1,491	1,864	2,236	2,609	2,982	3,354	3,727	4,100
1500	806	1,209	1,612	2,015	2,417	2,820	3,223	3,626	4,029	4,432
1750	866	1,299	1,732	2,166	2,599	3,032	3,465	3,898	4,331	4,764
2000	927	1,390	1,853	2,317	2,780	3,243	3,707	4,170	4,633	5,096
2250	987	1,481	1,974	2,468	2,961	3,455	3,948	4,442	4,935	5,429
2500	1,047	1,571	2,095	2,619	3,142	3,666	4,190	4,714	5,237	5,761
2750	1,108	1,662	2,216	2,770	3,324	3,877	4,431	4,985	5,539	6,093
3000	1,168	1,752	2,337	2,921	3,505	4,089	4,673	5,257	5,841	6,425
3250	1,229	1,843	2,457	3,072	3,686	4,300	4,915	5,529	6,143	6,758
3500	1,289	1,934	2,578	3,223	3,867	4,512	5,156	5,801	6,445	7,090
3750	1,349	2,024	2,699	3,374	4,048	4,723	5,398	6,073	6,747	7,422
4000	1,410	2,115	2,820	3,525	4,230	4,935	5,640	6,344	7,049	7,754
4250	1,470	2,205	2,941	3,676	4,411	5,146	5,881	6,616	7,351	8,087
4500	1,531	2,296	3,061	3,827	4,592	5,357	6,123	6,888	7,653	8,419
4750	1,591	2,387	3,182	3,978	4,773	5,569	6,364	7,160	7,955	8,751
5000	1,652	2,477	3,303	4,129	4,955	5,780	6,606	7,432	8,258	9,083

200% Fullness

With Standard Lining

Band G drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	739	1,108	1,477	1,847	2,216	2,585	2,955	3,324	3,693	4,063
1250	808	1,212	1,615	2,019	2,423	2,827	3,231	3,635	4,039	4,442
1500	877	1,315	1,754	2,192	2,630	3,069	3,507	3,945	4,384	4,822
1750	946	1,419	1,892	2,365	2,837	3,310	3,783	4,256	4,729	5,202
2000	1,015	1,522	2,030	2,537	3,045	3,552	4,060	4,567	5,074	5,582
2250	1,084	1,626	2,168	2,710	3,252	3,794	4,336	4,878	5,420	5,962
2500	1,153	1,730	2,306	2,883	3,459	4,036	4,612	5,189	5,765	6,342
2750	1,222	1,833	2,444	3,055	3,666	4,277	4,888	5,499	6,110	6,721
3000	1,291	1,937	2,582	3,228	3,873	4,519	5,164	5,810	6,456	7,101
3250	1,360	2,040	2,720	3,400	4,081	4,761	5,441	6,121	6,801	7,481
3500	1,429	2,144	2,858	3,573	4,288	5,002	5,717	6,432	7,146	7,861
3750	1,498	2,247	2,997	3,746	4,495	5,244	5,993	6,742	7,491	8,241
4000	1,567	2,351	3,135	3,918	4,702	5,486	6,269	7,053	7,837	8,620
4250	1,636	2,455	3,273	4,091	4,909	5,727	6,546	7,364	8,182	9,000
4500	1,705	2,558	3,411	4,264	5,116	5,969	6,822	7,675	8,527	9,380
4750	1,775	2,662	3,549	4,436	5,324	6,211	7,098	7,985	8,873	9,760
5000	1,844	2,765	3,687	4,609	5,531	6,453	7,374	8,296	9,218	10,140

PENCIL, PINCH, EYELET, WAVE CURTAINS

200% Fullness										
drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	18	27	36	45	53	62	71	80	89	98
1250	21	31	41	52	62	72	83	93	104	114
1500	24	35	47	59	71	83	94	106	118	130
1750	26	40	53	66	79	93	106	119	132	145
2000	29	44	59	73	88	103	117	132	147	161
2250	32	48	64	81	97	113	129	145	161	177
2500	35	53	70	88	105	123	140	158	175	193
2750	38	57	76	95	114	133	152	171	190	209
3000	41	61	82	102	122	143	163	184	204	225
3250	44	66	87	109	131	153	175	197	219	240
3500	47	70	93	116	140	163	186	210	233	256
3750	49	74	99	124	148	173	198	223	247	272
4000	52	78	105	131	157	183	209	235	262	288
4250	55	83	110	138	166	193	221	248	276	304
4500	58	87	116	145	174	203	232	261	290	319
4750	61	91	122	152	183	213	244	274	305	335
5000	64	96	128	160	191	223	255	287	319	351

TRIPLE PINCH PLEAT

260% Fullness										
drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	23	35	46	58	70	81	93	104	116	127
1250	27	40	54	67	81	94	108	121	135	148
1500	31	46	61	77	92	107	123	138	153	169
1750	34	52	69	86	103	120	138	155	172	189
2000	38	57	76	95	114	133	152	172	191	210
2250	42	63	84	105	126	147	167	188	209	230
2500	46	68	91	114	137	160	182	205	228	251
2750	49	74	99	123	148	173	197	222	247	271
3000	53	80	106	133	159	186	212	239	265	292
3250	57	85	114	142	170	199	227	256	284	312
3500	61	91	121	151	182	212	242	272	303	333
3750	64	96	129	161	193	225	257	289	321	354
4000	68	102	136	170	204	238	272	306	340	374
4250	72	108	144	179	215	251	287	323	359	395
4500	75	113	151	189	226	264	302	340	377	415
4750	79	119	158	198	238	277	317	357	396	436
5000	83	124	166	207	249	290	332	373	415	456

PENCIL, PINCH, EYELET, WAVE CURTAINS

200% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	25	38	51	63	76	89	101	114	127	139
1250	32	47	63	79	95	111	127	142	158	174
1500	38	57	76	95	114	133	152	171	190	209
1750	44	66	89	111	133	155	177	199	221	244
2000	51	76	101	127	152	177	202	228	253	278
2250	57	85	114	142	171	199	228	256	285	313
2500	63	95	127	158	190	221	253	285	316	348
2750	70	104	139	174	209	244	278	313	348	383
3000	76	114	152	190	228	266	304	342	380	417
3250	82	123	164	206	247	288	329	370	411	452
3500	89	133	177	221	266	310	354	398	443	487
3750	95	142	190	237	285	332	380	427	474	522
4000	101	152	202	253	304	354	405	455	506	557
4250	108	161	215	269	323	376	430	484	538	591
4500	114	171	228	285	342	398	455	512	569	626
4750	120	180	240	300	361	421	481	541	601	661
5000	127	190	253	316	380	443	506	569	633	696

TRIPLE PINCH PLEAT

260% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	33	49	66	82	99	115	132	148	164	181
1250	41	62	82	103	123	144	164	185	206	226
1500	49	74	99	123	148	173	197	222	247	271
1750	58	86	115	144	173	201	230	259	288	317
2000	66	99	132	164	197	230	263	296	329	362
2250	74	111	148	185	222	259	296	333	370	407
2500	82	123	164	206	247	288	329	370	411	452
2750	90	136	181	226	271	317	362	407	452	497
3000	99	148	197	247	296	345	395	444	493	543
3250	107	160	214	267	321	374	428	481	534	588
3500	115	173	230	288	345	403	460	518	576	633
3750	123	185	247	308	370	432	493	555	617	678
4000	132	197	263	329	395	460	526	592	658	724
4250	140	210	280	349	419	489	559	629	699	769
4500	148	222	296	370	444	518	592	666	740	814
4750	156	234	312	391	469	547	625	703	781	859
5000	164	247	329	411	493	576	658	740	822	904

PENCIL, PINCH, EYELET, WAVE CURTAINS

200% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	71	107	143	178	214	250	285	321	357	392
1250	89	134	178	223	267	312	357	401	446	490
1500	107	160	214	267	321	374	428	481	535	588
1750	125	187	250	312	374	437	499	561	624	686
2000	143	214	285	357	428	499	570	642	713	784
2250	160	241	321	401	481	561	642	722	802	882
2500	178	267	357	446	535	624	713	802	891	980
2750	196	294	392	490	588	686	784	882	980	1,078
3000	214	321	428	535	642	749	856	963	1,070	1,176
3250	232	348	463	579	695	811	927	1,043	1,159	1,274
3500	250	374	499	624	749	873	998	1,123	1,248	1,373
3750	267	401	535	668	802	936	1,070	1,203	1,337	1,471
4000	285	428	570	713	856	998	1,141	1,283	1,426	1,569
4250	303	455	606	758	909	1,061	1,212	1,364	1,515	1,667
4500	321	481	642	802	963	1,123	1,283	1,444	1,604	1,765
4750	339	508	677	847	1,016	1,185	1,355	1,524	1,693	1,863
5000	357	535	713	891	1,070	1,248	1,426	1,604	1,783	1,961

TRIPLE PINCH PLEAT

260% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	93	139	185	232	278	324	371	417	463	510
1250	116	174	232	290	348	406	463	521	579	637
1500	139	209	278	348	417	487	556	626	695	765
1750	162	243	324	406	487	568	649	730	811	892
2000	185	278	371	463	556	649	742	834	927	1,020
2250	209	313	417	521	626	730	834	938	1,043	1,147
2500	232	348	463	579	695	811	927	1,043	1,159	1,274
2750	255	382	510	637	765	892	1,020	1,147	1,274	1,402
3000	278	417	556	695	834	973	1,112	1,251	1,390	1,529
3250	301	452	602	753	904	1,054	1,205	1,356	1,506	1,657
3500	324	487	649	811	973	1,135	1,298	1,460	1,622	1,784
3750	348	521	695	869	1,043	1,217	1,390	1,564	1,738	1,912
4000	371	556	742	927	1,112	1,298	1,483	1,668	1,854	2,039
4250	394	591	788	985	1,182	1,379	1,576	1,773	1,970	2,167
4500	417	626	834	1,043	1,251	1,460	1,668	1,877	2,086	2,294
4750	440	660	881	1,101	1,321	1,541	1,761	1,981	2,201	2,422
5000	463	695	927	1,159	1,390	1,622	1,854	2,086	2,317	2,549

PENCIL, PINCH, EYELET, WAVE CURTAINS

200% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	83	124	166	207	248	290	331	373	414	455
1250	104	155	207	259	311	362	414	466	518	569
1500	124	186	248	311	373	435	497	559	621	683
1750	145	217	290	362	435	507	580	652	725	797
2000	166	248	331	414	497	580	662	745	828	911
2250	186	279	373	466	559	652	745	838	932	1,025
2500	207	311	414	518	621	725	828	932	1,035	1,139
2750	228	342	455	569	683	797	911	1,025	1,139	1,252
3000	248	373	497	621	745	869	994	1,118	1,242	1,366
3250	269	404	538	673	807	942	1,076	1,211	1,346	1,480
3500	290	435	580	725	869	1,014	1,159	1,304	1,449	1,594
3750	311	466	621	776	932	1,087	1,242	1,397	1,553	1,708
4000	331	497	662	828	994	1,159	1,325	1,490	1,656	1,822
4250	352	528	704	880	1,056	1,232	1,408	1,584	1,760	1,935
4500	373	559	745	932	1,118	1,304	1,490	1,677	1,863	2,049
4750	393	590	787	983	1,180	1,377	1,573	1,770	1,967	2,163
5000	414	621	828	1,035	1,242	1,449	1,656	1,863	2,070	2,277

TRIPLE PINCH PLEAT

260% Fullness

drop/width	1350	2025	2700	3375	4050	4725	5400	6075	6750	7425
1000	108	161	215	269	323	377	431	484	538	592
1250	135	202	269	336	404	471	538	605	673	740
1500	161	242	323	404	484	565	646	727	807	888
1750	188	283	377	471	565	659	753	848	942	1,036
2000	215	323	431	538	646	753	861	969	1,076	1,184
2250	242	363	484	605	727	848	969	1,090	1,211	1,332
2500	269	404	538	673	807	942	1,076	1,211	1,346	1,480
2750	296	444	592	740	888	1,036	1,184	1,332	1,480	1,628
3000	323	484	646	807	969	1,130	1,292	1,453	1,615	1,776
3250	350	525	700	875	1,049	1,224	1,399	1,574	1,749	1,924
3500	377	565	753	942	1,130	1,319	1,507	1,695	1,884	2,072
3750	404	605	807	1,009	1,211	1,413	1,615	1,816	2,018	2,220
4000	431	646	861	1,076	1,292	1,507	1,722	1,938	2,153	2,368
4250	457	686	915	1,144	1,372	1,601	1,830	2,059	2,287	2,516
4500	484	727	969	1,211	1,453	1,695	1,938	2,180	2,422	2,664
4750	511	767	1,023	1,278	1,534	1,790	2,045	2,301	2,556	2,812
5000	538	807	1,076	1,346	1,615	1,884	2,153	2,422	2,691	2,960

BLINDTEX MOTOR

Roller | Duplex | Romex | Roman

Options	Large Mains Motor	Medium Mains Motor	Small Lithium Motor
Power	230V	230V	Wirefree - Rechargeable DC 7.4 V
Feature	Minimal sound	Minimal sound	Minimal sound
Bracket	Metal	Metal	Metal
Lifting capacity	15 kgs	11 kgs	5 kgs
Minimum Blind Size	690 mm	650 mm	500 mm
Speed (RPM)	26 RPM	28 RPM	30 RPM
Torque (Nm)	26-Oct	28-Jun	8
Technology	RTS	RTS	RTS
Power Required	3 pin plug	3 pin plug	Yes - 3 plug for charger
Cable length	1 mtr	1 mtr	1 mtr
Suitability for wet Area	No	No	No
Motor Weight	2.36 kg	1.43 kg	1.45 kg
Price (each) - AED	550	500	350

Remote Prices (Lithium)	
Remote - 1 Channel	80
Remote - 6 Channel	100
Charger	60
Intermediate Bracket - Straight	100
Intermediate Bracket - Angle	150



Please consult our reps for special discounts on bulk purchase.

SOMFY MOTORS

Options	Sonesse-40RTS	Optuo-40 RTS	Sonesse-50RTS	Altus-50 RTS
Power	AC Motor	AC Motor	AC Motor	AC Motor
Feature	Silent motor (50dB(A)	Minimal sound	Silent motor (50dB(A)	Minimal sound
Bracket	Plastic	Plastic	Steel	Steel
Lifting capacity	11 kgs	11 kgs	15 kgs	20 kgs
Minimum Blind Size	590mm	590mm	810mm	750mm
Speed (RPM)	30 RPM	30 RPM	28 RPM	32 RPM
Torque (Nm)	3	3	3	6
Technology	RTS	RTS	RTS	RTS
Power Required	3 pin plug	3 pin plug	3 pin plug	3 pin plug
Cable length	2.5 mtrs	2.5 mtrs	2.5 mtrs	2.5 mtrs
Suitability for wet Area	No	No	No	No
Price (each) - AED	768	521	768	521
Roman Rail - Cassette System		150 AED / Mtr - Minimum Chargeable 1 mtr		



Accessories Prices

Remote - 1 Channel	110
Remote - 4 Channel	156
Remote - 4 Channel Modulis	300
Remote - 16 Channel	480
Intermediate Bracket 40mm	145
Intermediate Bracket 50mm	195



Options	Glydea 35	Glydea 60	Irismo
Power	DC-AC Motor	DC-AC Motor	AC Motor
Weight limit for single curtains	35 Kgs for 10m*	60 Kgs for 10m*	35 Kgs for 10m*
Weight limit for double curtains	35 Kgs for 10m*	60 Kgs for 10m*	35 Kgs for 10m*
Maximum length	10 mtrs	10 mtrs	10 mtrs
Speed (Linear speed)	12.5cm/s to 20cm/s	12.5cm/s to 20cm/s	15 cm/s
Technology	RTS	RTS	RTS
Power Required	3 pin plug	3 pin plug	3 pin plug
Cable length	2.5 mtrs	2.5 mtrs	2.5 mtrs
Suitability for wet Area	Yes	Yes	No
Price (each) - AED			
For Curtains or Panel Blinds	808	930	700
Glydea Rail	140 / Mtr	Minimum Chargeable 1.5 mtr	

Accessories Prices

Remote - 1 Channel	110
Remote - 4 Channel	156
Remote - 4 Channel Modulis	300
Remote - 16 Channel	480

⚠ Please consult our reps for special discounts on bulk purchase.




DIGITAL PRINTING



Digital Print	Price Band	Roller	Roller with Cassette	Panel	Panel with Cassette
		Min Chargeable 1.5 sq/m	Min Chargeable 1.5 sq/m	Min Chargeable 1m (W) x 1.8m (D)	Min Chargeable 1m (W) x 1.8m (D)
		AED Per Sq/m	AED Per Sq/m	AED Per Sq/m	AED Per Sq/m
Custom Print (Translucent)	D	132	178	210	256
Custom Print (Blackout & Screen)	E	156	202	230	276



High resolution images required, especially for larger blinds.
Our graphic design team will confirm the quality of the resolution once image is submitted.



MDF

MDF is a strong and cost effective option. Made from engineered wood and polymer coated, which gives the MDF shutter a wipe clean and maintenance free finish. There are seven shades of white and cream to choose from. Shaped shutters are not available in this material type.

MDF PLUS

This is a mixed material painted product which provides the shutter with a more natural finish than the standard MDF product. This more closely resembles the finish of a hardwood shutter. The frames and stiles are coated in a polypropylene sleeve and the louvers are made from ABS. This is a very hard wearing combination protecting from changes in ambient temperature and eliminating the risk of insitu moisture changes that can cause warping and twisting.



PHOENIX

The ideal choice for most shutter installations. Phoenix is a hardwood with a rich textured grain that looks fantastic in a wide range of finishes. With simple clean lines these shutters are ideal for today's modern living. With 50 stains and colours available, you will find the ideal choice for your home.



Incorporated blackout blind (optional)



WHITE TEAK

Made from Forest Stewardship Council certified wood. White Teak (*Tectona grandis*) is a highly sought after and valuable tropical hardwood due to its favorable physical properties and high natural durability. Teak timber has low shrinkage and medium density making it suitable for a wide range of purposes such as joinery, cabinet making, veneer, outdoor furniture and boat decking. They are well suited to areas where extra durability is required.



ABS (WATERPROOF)

This material is extremely hard wearing, making it ideal for commercial installations. Our Waterproof shutters are manufactured using a hardwood core combined with an ABS (Acrylonitrile Butadiene Styrene) plastic coating. This co-polymer coating is extremely tough and resilient and is the same material that is used in the manufacture of American football helmets.

TAKE CONTROL

To tilt the louvers, rods can be in the centre or to the side of the panels. For a contemporary look we can hide the tilting mechanism completely. For out of reach areas or for added luxury try our motorised shutters operated via solar technology, and controlled with RF remote control, with timer facility.



Material	Unit Of Measure	Supply only	Supply with Fitting
MDF	Per Square Meter	462	740
MDF +	Per Square Meter	539	863
ABS	Per Square Meter	694	1110
Phoenix	Per Square Meter	694	1110
White Teak	Per Square Meter	719	1151

Add Shapes

Arch,Sunburst,Triangle	Up to 2 Panels Per sq Meter	565	565
Arch,Sunburst,Triangle	Up to 3 Panels Per sq Meter	719	719
Arch,Sunburst,Triangle	Up to 4 Panels Per sq Meter	873	873
Arch,Sunburst,Triangle	Up to 5 Panels Per sq Meter	1028	1028
Arch,Sunburst,Triangle	Up to 6 Panels Per sq Meter	1182	1182

Add Options

Auto Closure	Per Louver Set	51
Build out & Battens	Per Cubic Meter	23507
Custom Colour	Per Order	514
Custom Post PLM	Per Square Meter	5%
Custom Rail size	Per Rail	26
Easy Tilt	Per Square Meter	10%
Extra Louver	Each	8
Fixed Louver	Per Square Meter	10%
Hidden Hinge PSM	Per Square Meter	41
Panel Cut Out	Per Panel	462
Pull Ring	Each	41
Raised/Moulded Panels	Per Square Meter	10%
Security Bolts	Each	103
Stainless Steel Hinges	Per Square Meter	5%
Tracking	Per Linear Meter (Horizontal)	301
With Honeycomb Blackout	Per Square Meter	385

Frame Surcharges

Charges will be calculated by adding the (amounts) below to the width and drop of each side of shutter of the following frame types:

Beaded Z Frame 31mm (+19mm)	Crown Z Frame 76mm (+108mm)	Valley Deco Frame 50mm (+57mm)
Bullnose Z Frame 38mm (+38mm)	Deep Bullnose Z Frame 38mm (+59mm)	Vintage Hang Strip 46mm (+38mm)
Chamfer L Frame 60mm (+28mm)	Deep Crown Z Frame 76mm (136mm)	Vintage Hang Strip 60mm (+66mm)
Chamfer L Frame 76mm (+53mm)	Deep Plain L Frame 60mm (+28mm)	Vintage Hang Strip 76mm (+76mm)
Chamfer L Frame 89mm (+74mm)	Serrate Z Frame 50mm (+57mm)	
Chamfer Z Frame 38mm (+38mm)	Tiara Z Frame 50mm (+57mm)	

Motorised

Motorised Louvers	Per Louver Set (If mid rail then 2 louver sets apply)	227
Remote Control	Each	231
Solar Panel	Each	51

Name	MDF		MDF +	
	Polypropylene Coated MDF		Polypropylene Coated MDF with ABS louvers	
Paint Colours	7		21	
Stain Colours	0		0	
Custom Colours Available	No		No	
Max Number Of Panels Hinged Together	2		2	
Max Single Panel Width	Panel width	Panel width	Louver	Panel width
	600mm	600mm	47mm	610mm
	750mm	750mm	63mm	915mm
	750mm	750mm	89mm	915mm
	750mm	750mm	114mm	915mm
Max width for Bi-fold hinged or Multi-fold with top & bottom track	Maximum panel width, on all sizes of louvers: 600mm		Maximum panel width, on all sizes of louvers: 610mm	
Max width for Multi-fold hinged or Multi-fold with top track only	N/A		N/A	
French Cut Out	No		No	
Blackout	Yes		Yes	
Sandblast Available	No		No	
Solid Panels Available	No		No	
Special Shapes	Rake, Triangle, Octagon and Hexagon		Yes	
Custom Bay Post Angles	Yes		Yes	
Remote Control	No		No	
Stile Type	Flat		Beaded	
Panel Height Without Midrail	1879mm		1981mm	
Weight - Kg per metre ³	9.23 Kg/m ³		6.24 Kg/m ³	
Price per Sqmtr (AED)	462		539	

Notes

- **Mid Rail Deviations:** 47mm deviation: 19mm - 63mm deviation: 25mm - 89mm deviation: 38mm - 114mm deviation: 58mm.
- Bay Posts 90 & 135 degree as standard, other angles optional.
- **Lifting** may be needed to prevent panels catching frame or floor.

Due to the nature of material manufacturing, colours may vary slightly between dye lots. Please order shutters for the same home at one time.

HARDWARE SELECTION



1 Pure White



2 White



3 Pearl



4 Bisque



5 Antique Brass

Name	ABS		Phoenix		White Teak	
	Waterproof		Phoenix		White Teak	
Paint Colours	6		21		21	
Stain Colours	0		29		29	
Custom Colours Available	No		Yes		Yes	
Max Number Of Panels Hinged Together	2		4		4	
Max Single Panel Width	Louver	Panel width	Louver	Panel width	Louver	Panel width
	47mm	550mm	47mm	750mm	47mm	750mm
	63mm	800mm	63mm	890mm	63/60mm	890mm
	89mm	890mm	89mm	1047mm	89/84mm	1047mm
	114mm	890mm	114mm	1047mm	114mm	1047mm
Max width for Bi-fold hinged or Multi-fold with top & bottom track	Maximum panel width for 47mm louvre is 550mm. All other louvre sizes: 610mm		Top track only available with 4 panels or less - Max panel width 550mm Maximum panel width, on all sizes of louvers: 660mm		Top track only available with 4 panels or less - Max panel width 550mm Maximum panel width, on all sizes of louvers: 660mm	
Max width for Multi-fold hinged or Multi-fold with top track only	N/A		Maximum panel width, on all sizes of louvers: 550mm.		Maximum panel width, on all sizes of louvers: 550mm.	
French Cut Out	Yes		Yes		Yes	
Blackout	No		Yes		Yes	
Sandblast Available	No		No		Yes	
Solid Panels Available	No		Yes		Yes	
Special Shapes	Yes		Yes		Yes	
Custom Bay Post Angles	Yes		Yes		Yes	
Remote Control	No		Yes		Yes	
Stile Type	Flat		Flat		Flat	
Panel Height Without Midrail	1828mm		1981mm		1981mm	
Weight - Kg per metre ³	7.31 Kg/m ³		6.81 Kg/m ³		7.69 Kg/m ³	
Price per Sqmtr (AED)	694		694		719	

Slight variations may also occur between the finished products and the colour samples.



6 Bright Brass



7 Stainless Steel



8 Brushed Nickel Plated



9 Nickel Plated



10 Black


Product	Description	Unit	Price (AED)
	Signature Collection	Pc	1000
	Basix Collection	Pc	200
	Castelli Book	Pc	600
	Axel S3	Pc	350

DISPLAY STANDS

Blinds Display Stand	Pc	POA
Poles Display Stand	Pc	1200



BLINDS DISPLAY STAND





Innov8 Products FZC
Area Q4 - Unit 030 SAIF Zone, Sharjah,
United Arab Emirates
Email: sales@blindtex.com

www.blindtex.com