



ZIPSCREEN CATALOG

Transform your living space in seconds

Functions and characteristics of roller blinds	1
Electric roller blinds	2
Manual roller blinds	3
Build Your Blinds	4
Why choose us	5
Maintenance of roller blinds	6

Whether you're reinventing your living space, or renovating your business area, Blindtex zipscreen shades is a good way to transform your area in seconds.

With 10 years of history, Blindtex defines the ultimate in outdoor living, delivers a sleek and durable outdoor shade solution.

RoHS



Electric Or Manual
Operation



More Privacy



Total Customization



No High Winds



Insect Control





Sun & UV Protection

Build Your Shade with Smart home

ELECTRIC OPERATION



DETAIL OF ZIPSCREENS



COVER



SIDE RAIL



BOTTOM RAIL



Φ 78mm



Φ 63mm

If the width is less than 4000mm, use a 63mm roll, otherwise use a 78mm roll.

Item No.	Customization Size (mm)	Cassette Size (L*W*T mm)	Roller Tube Size (L*W*T mm)	Said Rail Size (L*W*T mm)	Bottom Rail Size (L*W*T mm)	Balancer System
Zip-700E	①680mm<Width≤4000mm Height≤2700mm	100*100*2mm	①Φ63mm	39*49*1.6mm	25.4*56*2.5mm	×
Zip-710E	①680mm<Width<6000mm Height≤2900mm ②680mm<Width≤4000mm Height<4000mm	110*115*1.5mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	39*49*1.6mm		√
Zip-720E	①720mm<Width<6000mm Height≤2900mm ②720mm<Width≤4000mm Height<4000mm	120*120*2mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	30*60*1.5mm		√



01

Special Zip For Outdoor

The roller blinds can vertically enter the rail, and fabric is not easy to derailed and folds. The zip is a special outdoor no-glue zip, with good welding performance and long service life.

02

Max Size

Able to span up to 19.68 feet (6000MM) wide and 13.12feet(4000mm)tall, all with one screen!





03


Smart Balancer

Automatically adjust the center position of the roller shutter ,
Innovative positioning design to ensure zippers slide vertically into rails
and caring on the zippers.

04

Motor System

Ip44 Waterproof, A-OK, Dooya, Somfy motor with smart
control to choose.




Build Your Shade for Different Use

MANUAL OPERATION



Spring System

The lift-and-stop, safe and convenient to use, can do up to 2.9m.



Item No.	Customization Size (mm)	Cassette Size (L*W*T mm)	Roller Tube Size (L*W*T mm)	Said Rail Size (L*W*T mm)	Bottom Rail Size (L*W*T mm)	Balancer System
Zip-700S	①900mm<Width≤4000mm Height≤2700mm	100*100*2mm	①Φ63mm	39*49*1.6mm	25*58*1.7mm	×
Zip-710S	①900mm<Width≤4000mm Height≤2700mm	110*115*1.5mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	39*49*1.6mm		√
Zip-720S	①900mm<Width≤4700mm Height≤2700mm	120*120*2mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	30*60*1.5mm		√

Chain-control /Hand Crank System

Chain or Hand Crank Control , Easy to use





Chain-control



Hand Crank

Item No.	Customization Size (mm)	Cassette Size (L*W*T mm)	Roller Tube Size (L*W*T mm)	Said Rail Size (L*W*T mm)	Bottom Rail Size (L*W*T mm)	Balancer System
Zip-700H/C	①900mm<Width≤3500mm Height≤3000mm	100*100*2mm	①Φ63mm	39*49*1.6mm	25.4*56*2.5mm	×
Zip-710C	①900mm<Width≤3500mm Height≤3000mm	110*115*1.5mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	39*49*1.6mm		√
Zip-720H/C	①900mm<Width≤3500mm Height≤3000mm	120*120*2mm	①Width≤4000mm Φ63mm ②Width>4000mm Φ78mm	30*60*1.5mm		√

How To Measuring



NOTE: Please measured and confirm Width of W1/W2/W3, Heigh H1/H2/H3 to received a correct installation plan

Frame & Fabric Color

Frame Color



Black




Grey



White

Fabric Color



Black

Grey

Dark Black

White




Black Grey

Beige

Off-white

Brown




Black Curry

Dark Grey

Iron Grey

Options Specification Chart



Light Transmittance	UV Protection	Rain Protection	Wind Protection	Clear Views	Dust&Leaves	Thermal Insulation
0%	★★★★★	★★★★★	★★★★★	0	★★★★★	★★★★★
1%	★★★★★	★★★★★	★★★★★	★	★★★★★	★★★★★
3%	★★★★★	★★★★★	★★★★★	★★	★★★★★	★★★★★
5%	★★★★★	★★★★★	★★★★★	★★	★★★★★	★★★★★
10%	★★★★★	★★★★★	★★★★★	★★★	★★★★★	★★★★★
30%	★★★	★★	★★★★★	★★★★★	★★★★★	★★★★★

Why Choose Us

1. Professional Production:

10+ years production

2. OEM&ODM service:

Total color, size, and usage customization.

3. Smart Balancer System:

Blindtex zipscreen can ensure our zipped blinds to resist 12 high wind and more long service life.

4. Sunscreen Mesh Fabric:

Not easy to wrinkle and has good weldability, 8-level color fastness, and no fading for 5 years.

5. Easy Installation:

Provide professional installation instructions for an easy install.

6. Professional Support Team:

We have more than 10+ export experience, we can provide more professional shade and delivery solution.



Applicable Scene





www.blindtex.com



+971 6 557 8051



sales@blindtex.com

